

**To:** Way, Steven[way.steven@epa.gov]; Guy, Kerry[Guy.Kerry@epa.gov]  
**From:** Matt Francis  
**Sent:** Wed 8/19/2015 11:19:21 PM  
**Subject:** FW: Omni & Rain for Rent Proposal for Pipeline  
Omni Gold King Work Order 00156 with attachments.pdf

**From:** Warren Sumner [mailto:wsumner@omniwatersolutions.com]  
**Sent:** Wednesday, August 19, 2015 5:15 PM  
**To:** Matt Francis <m.francis@erllc.com>  
**Subject:** Re: Omni & Rain for Rent Proposal for Pipeline

Matt, last email. Please use this version instead of prior one. It has complete file with attachments.

Warren

cell: 512-731-5368

**From:** Warren Sumner <wsumner@omniwatersolutions.com>  
**Date:** Wednesday, August 19, 2015 at 6:07 PM  
**To:** Matt Francis <m.francis@erllc.com>  
**Subject:** Omni & Rain for Rent Proposal for Pipeline

Matt,

Attached is our proposal for the pipeline you discussed with Rain for Rent. As in the dewatering work, Rain for Rent and Omni will provide the equipment and services under an Omni Work Order with Environmental Restoration. This represents a new Work Order to cover this specific scope of work. The file was too large to attach schematics of the proposed work, I'll send those in separate emails.

If you have any questions, please let me know and we can arrange a call with the appropriate people at your convenience.

If you are ready for us to proceed, please give us an email indication as such and we will schedule mobilization.

Thank you again for the opportunity to bid on this project.

Regards,

Warren

**From:** Matt Francis <[m.francis@erllc.com](mailto:m.francis@erllc.com)>  
**Date:** Friday, August 14, 2015 at 10:07 AM  
**To:** Warren Sumner <[wsumner@omniwatersolutions.com](mailto:wsumner@omniwatersolutions.com)>  
**Subject:** RE: Omni sludge dewatering proposal

This should be the most current mine discharge data

**From:** Warren Sumner [<mailto:wsumner@omniwatersolutions.com>]  
**Sent:** Thursday, August 13, 2015 4:47 PM  
**To:** Matt Francis <[m.francis@erllc.com](mailto:m.francis@erllc.com)>  
**Cc:** Way, Steven <[way.steven@epa.gov](mailto:way.steven@epa.gov)>; Marilyn Smith <[m.smith@erllc.com](mailto:m.smith@erllc.com)>  
**Subject:** Re: Omni sludge dewatering proposal

Matt,

Thank you for your confidence in Omni. We will begin mobilizing equipment and return the required documentation as quickly as possible.

Warren Sumner

On Aug 13, 2015, at 4:35 PM, Matt Francis <[m.francis@erllc.com](mailto:m.francis@erllc.com)> wrote:

Please consider this email authorization to proceed with mobilization of the proposed system. I look forward to working with Omni/RfR .

Matt

**From:** Braun, Richard [<mailto:Braun.Richard@epa.gov>]  
**Sent:** Thursday, August 13, 2015 4:22 PM  
**To:** Way, Steven <[way.steven@epa.gov](mailto:way.steven@epa.gov)>  
**Cc:** Marilyn Smith <[m.smith@erllc.com](mailto:m.smith@erllc.com)>; Matt Francis <[m.francis@erllc.com](mailto:m.francis@erllc.com)>; Myers, Craig <[Myers.Craig@epa.gov](mailto:Myers.Craig@epa.gov)>; Land, Kelcey <[Land.Kelcey@epa.gov](mailto:Land.Kelcey@epa.gov)>; Merritt, Steven <[Merritt.Steven@epa.gov](mailto:Merritt.Steven@epa.gov)>; Sandoval, Joni <[Sandoval.Joni@epa.gov](mailto:Sandoval.Joni@epa.gov)>  
**Subject:** RE: Omni sludge dewatering proposal

Hi Marilyn,

I concur with the proposed subcontract with Omni Water Solutions.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

[braun.richard@epa.gov](mailto:braun.richard@epa.gov)

**From:** Way, Steven  
**Sent:** Thursday, August 13, 2015 3:52 PM  
**To:** Braun, Richard  
**Cc:** [m.smith@erllc.com](mailto:m.smith@erllc.com); Matt Francis ([m.francis@erllc.com](mailto:m.francis@erllc.com)); Myers, Craig; Land, Kelcey; Merritt, Steven; Sandoval, Joni  
**Subject:** FW: Omni sludge dewatering proposal

Richard,

As discussed, I am requesting that you provide ER a verbal to approve the attached

subcontract proposal. The appropriate insurance, wage information and other information has been requested.

I have evaluated the proposed technical approach and pricing and consider it reasonable. The current costs for 2 weeks of operation and mobilization is approximately \$70,000 based on a mobilization cost of **CBI/Ex. 4** a daily operating cost of **CBI/Ex. 4** day in chemical supply, lodging and per diem. A determination as to the need to continue beyond 2 weeks will be made following the initial performance.

The need to manage heavy metals sludge accumulating in the temporary treatment ponds is critical to the successful treatment operations now underway at the Gold King Mine site. The potential for continued sludge management in the short-term will be determined in conjunction with the pending plans to move the flow from the current drainage and temporary pond system to a more suitable location (Red and Bonita Mine Site retention pond), which may also be temporary.

I have advised the contractor and the ER, LLC Response Manager that you have indicated to me your verbal approval.

Thank you,

Steve

Steven Way

Federal On-Scene Coordinator

Emergency Response Unit

US EPA - Region 8

1595 Wynkoop Street

Denver, CO 80202

Office: 303-312-6723

**From:** Matt Francis [<mailto:m.francis@erllc.com>]  
**Sent:** Thursday, August 13, 2015 2:49 PM  
**To:** Way, Steven  
**Subject:** FW: Omni sludge dewatering proposal

**From:** Warren Sumner [<mailto:wsumner@omniwatersolutions.com>]  
**Sent:** Thursday, August 13, 2015 1:48 PM  
**To:** Matt Francis <[m.francis@erllc.com](mailto:m.francis@erllc.com)>  
**Cc:** Gary Griesenbeck <[ggriesenbeck@omniwatersolutions.com](mailto:ggriesenbeck@omniwatersolutions.com)>; Jordan Muffler <[jmuffler@omniwatersolutions.com](mailto:jmuffler@omniwatersolutions.com)>; Mark Gonder <[mgonder@rainforrent.com](mailto:mgonder@rainforrent.com)>  
**Subject:** Omni sludge dewatering proposal

Matt,

As discussed. Thank you for your consideration. Please respond with your approval to proceed and we will begin mobilizing equipment.

Regards,

Warren

<image001.png>

Warren Sumner, CEO

4007 Commercial Center Dr. | Austin | TX | 78744

(o) 512-275-0804 x 204 (c) 512-731-5368

[wsumner@omniwatersolutions.com](mailto:wsumner@omniwatersolutions.com)

[www.omniwatersolutions.com](http://www.omniwatersolutions.com)

This electronic mail (including any attachments) may contain information that is privileged, confidential, and/or otherwise protected from disclosure to anyone other than its intended recipient(s). Any dissemination or use of this electronic mail or its contents (including any attachments) by persons other than the intended recipient(s) is strictly prohibited. If you have received this message in error, please notify us immediately by reply e-mail so that we may correct our internal records. Please then delete the original message (including any attachments) in its entirety. Thank you.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.